



MANHOLE COVERS DIRECT
All Purpose Manhole Design & Fabrication

WE MAKE
THEM **QUICK**

WE MAKE
THEM **CUSTOM**

WE MAKE
THEM **FIT** NEW OR
EXISTING
SPACES

Product Catalogue


SMALL ROUND STEEL MANHOLES GRAVEL GUARD FRAME

ALL PURPOSE ASTM-A36 CARBON STEEL ACCESS MANHOLES DESIGNED TO BE INSTALLED IN CONCRETE APPLICATIONS. ADA COMPLIANT DIAMOND PLATE COVER WITH NON-SKID SURFACE. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 25MPH. HEAVY DUTY T FRAME AND 14 GAUGE SKIRT, ALL WELDED CONSTRUCTION. PAINTED BLACK FINISH. MADE IN THE USA.



LAY IN COVERS


Lay In Style with 1/2" x 1" Pick Hole for Easy Removal



SIZE	MODEL	A	B	C	D
8"	R-8x4-STN	4-3/4"	9-3/16"	8-3/8"	5-3/4"
	R-8x6-STN	6-3/4"			
	R-8x8-STN	8-3/4"			
	R-8x12-STN	12-3/4"			
	R-8x18-STN	18-3/4"			
	R-8x24-STN	24-3/4"			
	R-8x36-STN	36-3/4"			
12"	R-12x4-STN	4-3/4"	13-1/8"	12-3/8"	9-1/2"
	R-12x6-STN	6-3/4"			
	R-12x8-STN	8-3/4"			
	R-12x12-STN	12-3/4"			
	R-12x18-STN	18-3/4"			
	R-12x24-STN	24-3/4"			
	R-12x36-STN	36-3/4"			
18"	R-18x4-STN	4-3/4"	18-3/4"	18"	15"
	R-18x6-STN	6-3/4"			
	R-18x8-STN	8-3/4"			
	R-18x12-STN	12-3/4"			
	R-18x18-STN	18-3/4"			
	R-18x24-STN	24-3/4"			
	R-18x36-STN	36-3/4"			

BOLT DOWN COVERS

Bolt Down Style with Gasket and Stainless Steel Hardware



SIZE	MODEL	A	B	C	D
8"	R-8x4-BD	4-7/8"	9-3/16"	8-3/8"	5-3/4"
	R-8x6-BD	6-7/8"			
	R-8x8-BD	8-7/8"			
	R-8x12-BD	12-7/8"			
	R-8x18-BD	18-7/8"			
	R-8x24-BD	24-7/8"			
	R-8x36-BD	36-7/8"			
12"	R-12x4-BD	4-7/8"	13-1/8"	12-3/8"	9-1/2"
	R-12x6-BD	6-7/8"			
	R-12x8-BD	8-7/8"			
	R-12x12-BD	12-7/8"			
	R-12x18-BD	18-7/8"			
	R-12x24-BD	24-7/8"			
	R-12x36-BD	36-7/8"			
18"	R-18x4-BD	4-7/8"	18-3/4"	18"	15"
	R-18x6-BD	6-7/8"			
	R-18x8-BD	8-7/8"			
	R-18x12-BD	12-7/8"			
	R-18x18-BD	18-7/8"			
	R-18x24-BD	24-7/8"			
	R-18x36-BD	36-7/8"			


MEDIUM ROUND STEEL MANHOLES GRAVEL GUARD FRAME

ALL PURPOSE ASTM-A36 CARBON STEEL ACCESS MANHOLES DESIGNED TO BE INSTALLED IN CONCRETE APPLICATIONS. ADA COMPLIANT DIAMOND PLATE COVER WITH NON-SKID SURFACE. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 25MPH. HEAVY DUTY T FRAME AND 14 GAUGE SKIRT, ALL WELDED CONSTRUCTION. PAINTED BLACK FINISH. MADE IN THE USA.



LAY IN COVERS


Lay In Style with 1/2" x 1" Pick Hole for Easy Removal



SIZE	MODEL	A	B	C	D
20"	R-20x4-STN	5"	20-1/2"	19-3/4	18
	R-20x6-STN	7"			
	R-20x8-STN	9"			
	R-20x12-STN	13"			
	R-20x18-STN	19"			
	R-20x24-STN	25"			
24"	R-20x36-STN	37"			
	R-24x4-STN	5"	24-1/2"	23-3/4	22
	R-24x6-STN	7"			
	R-24x8-STN	9"			
	R-24x12-STN	13"			
	R-24x18-STN	19"			
30"	R-24x24-STN	25"			
	R-24x36-STN	37"			
	R-30x4-STN	5"	30-1/2"	29-3/4	28
	R-30x6-STN	7"			
	R-30x8-STN	9"			
	R-30x12-STN	13"			
	R-30x18-STN	19"			
	R-30x24-STN	25"			
	R-30x36-STN	37"			

BOLT DOWN COVERS

Bolt Down Style with Gasket and Stainless Steel Hardware, Recessed Pick Eye Handle



SIZE	MODEL	A	B	C	D
20"	R-20x4-BD	5-1/4"	20-1/2"	19-3/4	18
	R-20x6-BD	7-1/4"			
	R-20x8-BD	9-1/4"			
	R-20x12-BD	13-1/4"			
	R-20x18-BD	19-1/4"			
	R-20x24-BD	25-1/4"			
	R-20x36-BD	37-1/4"			
24"	R-24x4-BD	5-1/4"	24-1/2"	23-3/4	22
	R-24x6-BD	7-1/4"			
	R-24x8-BD	9-1/4"			
	R-24x12-BD	13-1/4"			
	R-24x18-BD	19-1/4"			
	R-24x24-BD	25-1/4"			
	R-24x36-BD	37-1/4"			
30"	R-30x4-BD	5-1/4"	30-1/2"	29-3/4	28
	R-30x6-BD	7-1/4"			
	R-30x8-BD	9-1/4"			
	R-30x12-BD	13-1/4"			
	R-30x18-BD	19-1/4"			
	R-30x24-BD	25-1/4"			
	R-30x36-BD	37-1/4"			


LARGE ROUND STEEL MANHOLES GRAVEL GUARD FRAME

ALL PURPOSE ASTM-A36 CARBON STEEL ACCESS MANHOLES DESIGNED TO BE INSTALLED IN CONCRETE APPLICATIONS. ADA COMPLIANT DIAMOND PLATE COVER WITH NON-SKID SURFACE. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 25MPH. HEAVY DUTY T FRAME AND 14 GAUGE SKIRT, ALL WELDED CONSTRUCTION. PAINTED BLACK FINISH. MADE IN THE USA.



LAY IN COVERS


Lay In Style with Round Bar Handles, Concrete Anchors



SIZE	MODEL	A	B	C	D
32"	R-32x4-STN	5"	32-1/2"	31-3/4"	30"
	R-32x6-STN	7"			
	R-32x8-STN	9"			
	R-32x12-STN	13"			
	R-32x18-STN	19"			
	R-32x24-STN	25"			
36"	R-32x36-STN	37"			
	R-36x4-STN	5"	36-1/2"	35-3/4"	34"
	R-36x6-STN	7"			
	R-36x8-STN	9"			
	R-36x12-STN	13"			
	R-36x18-STN	19"			
	R-36x24-STN	25"			
38"	R-36x36-STN	37"			
	R-38x4-STN	5"	38-1/2"	37-3/4"	36"
	R-38x6-STN	7"			
	R-38x8-STN	9"			
	R-38x12-STN	13"			
	R-38x18-STN	19"			
	R-38x24-STN	25"			
	R-38x36-STN	37"			

BOLT DOWN COVERS

Bolt Down Style with Gasket, Stainless Steel Hardware, Recessed Pick Eye Handles, Concrete Anchors



SIZE	MODEL	A	B	C	D
32"	R-32x4-BD	5-1/4"	32-1/2"	31-3/4"	30"
	R-32x6-BD	7-1/4"			
	R-32x8-BD	9-1/4"			
	R-32x12-BD	13-1/4"			
	R-32x18-BD	19-1/4"			
	R-32x24-BD	25-1/4"			
36"	R-32x36-BD	37-1/4"			
	R-36x4-BD	5-1/4"	36-1/2"	35-3/4"	34"
	R-36x6-BD	7-1/4"			
	R-36x8-BD	9-1/4"			
	R-36x12-BD	13-1/4"			
	R-36x18-BD	19-1/4"			
	R-36x24-BD	25-1/4"			
38"	R-36x36-BD	37-1/4"			
	R-38x4-BD	5-1/4"	38-1/2"	37-3/4"	36"
	R-38x6-BD	7-1/4"			
	R-38x8-BD	9-1/4"			
	R-38x12-BD	13-1/4"			
	R-38x18-BD	19-1/4"			
	R-38x24-BD	25-1/4"			
	R-38x36-BD	37-1/4"			


EXTRA LARGE ROUND STEEL MANHOLES GRAVEL GUARD FRAME



ALL PURPOSE ASTM-A36 CARBON STEEL ACCESS MANHOLES DESIGNED TO BE INSTALLED IN CONCRETE APPLICATIONS. ADA COMPLIANT DIAMOND PLATE COVER WITH NON-SKID SURFACE. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 25MPH. HEAVY DUTY T FRAME AND 14 GAUGE SKIRT, ALL WELDED CONSTRUCTION. PAINTED BLACK FINISH. MADE IN THE USA.

LAY IN COVERS


Lay In Style with Round Bar Handles, Concrete Anchors



SIZE	MODEL	A	B	C	D
42"	R-42x4-STN	5"	42-1/2"	41-3/4"	40"
	R-42x6-STN	7"			
	R-42x8-STN	9"			
	R-42x12-STN	13"			
	R-42x18-STN	19"			
	R-42x24-STN	25"			
48"	R-42x36-STN	37"			
	R-48x4-STN	5"	48-1/2"	47-3/4"	46"
	R-48x6-STN	7"			
	R-48x8-STN	9"			
	R-48x12-STN	13"			
	R-48x18-STN	19"			
60"	R-48x24-STN	25"			
	R-48x36-STN	37"			
	R-60x4-STN	5"	60-1/2"	59-3/4"	58"
	R-60x6-STN	7"			
	R-60x8-STN	9"			
	R-60x12-STN	13"			
	R-60x18-STN	19"			
	R-60x24-STN	25"			
	R-60x36-STN	37"			

BOLT DOWN COVERS

Bolt Down Style with Gasket, Stainless Steel Hardware, Recessed Pick Eye Handles, Concrete Anchors



SIZE	MODEL	A	B	C	D
42"	R-42x4-BD	5-1/4"	42-1/2"	41-3/4"	40"
	R-42x6-BD	7-1/4"			
	R-42x8-BD	9-1/4"			
	R-42x12-BD	13-1/4"			
	R-42x18-BD	19-1/4"			
	R-42x24-BD	25-1/4"			
48"	R-42x36-BD	37-1/4"			
	R-48x4-BD	5-1/4"	48-1/2"	47-3/4"	46"
	R-48x6-BD	7-1/4"			
	R-48x8-BD	9-1/4"			
	R-48x12-BD	13-1/4"			
	R-48x18-BD	19-1/4"			
60"	R-48x24-BD	25-1/4"			
	R-48x36-BD	37-1/4"			
	R-60x4-BD	5-1/4"	60-1/2"	59-3/4"	58"
	R-60x6-BD	7-1/4"			
	R-60x8-BD	9-1/4"			
	R-60x12-BD	13-1/4"			
	R-60x18-BD	19-1/4"			
	R-60x24-BD	25-1/4"			
	R-60x36-BD	37-1/4"			