



MANHOLE COVERS DIRECT
All Purpose Manhole Design & Fabrication

WE MAKE
THEM **QUICK**

WE MAKE
THEM **CUSTOM**

WE MAKE
THEM **FIT** NEW OR
EXISTING
SPACES

Product Catalogue

STEEL REPLACEMENT COVERS HEAVY DUTY



HEAVY DUTY ASTM-A36 CARBON STEEL REPLACEMENT COVERS ARE ADA COMPLIANT WITH NON SKID SURFACE. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 35MPH. IDEAL FOR GENERAL, AVERAGE VOLUME TRAFFIC APPLICATIONS SUCH AS ENTRANCES TO PARKING LOTS, LOADING DOCKS, AREAS THAT EXPERIENCE HEAVY EQUIPMENT OR TRUCK TRAFFIC, ETC. NOT FOR HIGHWAY USE. PAINTED BLACK FINISH. MADE IN USA.


Every cover is custom-made to your specification, and we look forward to helping you find a solution that works! Choose your edge thickness and diameter to get started building your replacement cover:



CUSTOMIZED EDGE THICKNESS



TOP VIEW




BOTTOM VIEW

3/8" THICK GUSSETS
STITCH WELDED
UNDERNEATH FOR
REINFORCEMENT
(6 TYP)

HOT ROLLED FLAT
BAR STITCH WELDED
UNDERNEATH FOR
CUSTOM EDGE
THICKNESS

1/2" X 1" PICK HOLE
FOR EASY REMOVAL
(2 TYP)

CUSTOMIZED DIAMETER



Visit www.manholecoversdirect.com for full list of sizes and pricing, or to request a quote for additional options.

STEEL REPLACEMENT DRAIN COVERS HEAVY DUTY




HEAVY DUTY ASTM-A36 CARBON STEEL REPLACEMENT DRAIN COVERS, NON SKID SURFACE, RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 25MPH. IDEAL FOR GENERAL, AVERAGE VOLUME TRAFFIC APPLICATIONS SUCH AS ENTRANCES TO PARKING LOTS, LOADING DOCKS, AREAS THAT EXPERIENCE HEAVY EQUIPMENT OR TRUCK TRAFFIC, ETC. NOT FOR HIGHWAY USE. PAINTED BLACK FINISH. MADE IN USA.


Every drain cover is custom-made to your specification, and we look forward to helping you find a solution that works! Choose your edge thickness and diameter to get started building your replacement drain cover:



CUSTOMIZED EDGE THICKNESS



TOP VIEW




BOTTOM VIEW

3/8" THICK GUSSETS
STITCH WELDED
UNDERNEATH FOR
REINFORCEMENT
(6 TYP)

HOT ROLLED FLAT
BAR STITCH WELDED
UNDERNEATH FOR
CUSTOM EDGE
THICKNESS

1/2" DRAIN SLOTS,
EQUALLY PLACED

CUSTOMIZED DIAMETER



Visit www.manholecoversdirect.com for full list of sizes and pricing, or to request a quote for additional options.

STEEL REPLACEMENT COVERS ROUND



MEDIUM DUTY ASTM-A36 CARBON STEEL REPLACEMENT COVERS ARE ADA COMPLIANT WITH NON SKID SURFACE. IDEAL FOR GENERAL, LOW SPEED, LOW VOLUME TRAFFIC APPLICATIONS SUCH AS PARKING LOTS, GAS STATIONS, ETC. NOT FOR HIGHWAY USE. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 25MPH. PAINTED BLACK FINISH. MADE IN THE USA.

MEDIUM DUTY



Choose from sizes to fit our standard manholes, or request a quote to accommodate your dimension and edge thickness. Every cover is custom made to your specification, and we look forward to helping you find a solution that works!


SIZE	MODEL	DIAMETER	THICKNESS	(1) 1/2" X 1" PICK HOLE	(2) ROUND BAR HANDLES
8"	MD-8.375X.375	8.375"	3/8"	✓	
12"	MD-12.375X.375	12.375"		✓	
18"	MD-17.875X.375	17.875"		✓	
20"	MD-19.75X.375	19.75"		✓	
24"	MD-23.75X.375	23.75"		✓	
30"	MD-29.75X.375	29.75"		✓	
32"	MD-31.75X.375	31.75"			✓
38"	MD-37.75X.375	37.75"		✓	
42"	MD-41.75X.5	41.75"	1/2"		✓
48"	MD-47.75X.5	47.75"			✓

STEEL REPLACEMENT COVERS SQUARE



MEDIUM DUTY ASTM-A36 CARBON STEEL REPLACEMENT COVERS ARE ADA COMPLIANT WITH NON SKID SURFACE. IDEAL FOR GENERAL, LOW SPEED, LOW VOLUME TRAFFIC APPLICATIONS SUCH AS PARKING LOTS, GAS STATIONS, ETC. NOT FOR HIGHWAY USE. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 25MPH. PAINTED BLACK FINISH. MADE IN THE USA.

MEDIUM DUTY



Choose from sizes to fit our standard manholes, or request a quote to accommodate your dimension and edge thickness. Every cover is custom made to your specification, and we look forward to helping you find a solution that works!

SIZE	MODEL	DIMENSIONS	THICKNESS	(1) 1/2" X 1" PICK HOLE	(2) ROUND BAR HANDLES
8"	MD-7.625X7.625X.375	7.625" x 7.625"	3/8"	✓	
12"	MD-11.625X11.625X.375	11.625" x 11.625"		✓	
18"	MD-17.625X17.625X.375	17.625" x 17.625"		✓	
20"	MD-19.625X19.625X.375	19.625" x 19.625"		✓	
24"	MD-23.625X23.625X.375	23.625" x 23.625"		✓	
30"	MD-29.625X29.625X.375	29.625" x 29.625"		✓	
32"	MD-31.5X31.5X.375	31.5" x 31.5"	1/2"		✓
38"	MD-37.5X37.5X.375	37.5" x 37.5"			✓
42"	MD-41.5X41.5X.5	41.5"			✓
48"	MD-47.5X47.5X.5	47.5"			✓

COMPOSITE MANHOLES



REPLACEMENT COMPOSITE COVERS ARE DESIGNED TO LAY INTO AN EXISTING FRAME. ADA COMPLIANT NON SKID SURFACE COVERS ARE POLYESTER RESIN REINFORCED WITH FIBERGLASS. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 25MPH. MADE IN THE USA.



REPLACEMENT COVERS



A lightweight solution for heavy-duty traffic. Our closed mold injection systems produce durable and lightweight covers that are rated for H-20 wheel loading and designed to last!

Our covers are polyester resin reinforced with fiberglass, are 1" thick and include (1) one stainless steel recessed handle for easy lifting.

Choose from diameters of 39-1/4" or 44-1/4".

SIZE	MODEL	A	B
40"	F-39.25X1	39.25"	1"
45"	F-44.25X1	44.25"	1"

