RETRO FIT COMPOSITE COVER & FRAME
RFC ADAPTER SERIES



CUSTOMIZED ADAPER RINGS WITH 3 CENTER ACCESS OPTIONS
CHOOSE CUSTOM FRAME DIAMETER AND EDGE THICKNESS TO FIT YOUR EXISTING FRAME



RFC31
30" ROUND COMPOSITE ACCESS COVER
FRAME DIAMETER: 35.125"-47.75"




RFC40
40" ROUND COMPOSITE ACCESS COVER
FRAME DIAMETER: 44.5"-49.5"



RFC45
44" ROUND COMPOSITE ACCESS COVER
FRAME DIAMETER: 49.5"-59"

INSTALLED VIEW
INTENDED FOR INSTALLATION IN EXISTING FRAME




Visit www.manholecoversdirect.com for full list of sizes and pricing, or to request a quote for additional options.

RFC ADAPTER SERIES
RFC45

ALL PURPOSE STEEL RETRO-FITTING ADAPTER FLANGE FRAME WITH REMOVABLE 44-1/4" FIBERGLASS COMPOSITE COVER. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 35MPH. IDEAL FOR GENERAL, AVERAGE VOLUME TRAFFIC APPLICATIONS SUCH AS PARKING LOTS, LOADING DOCKS, AREAS THAT EXPERIENCE HEAVY EQUIPMENT OR TRUCK TRAFFIC, ETC. NOT FOR HIGHWAY USE. PAINTED BLACK FINISH. MADE IN USA.


Designed to replace heavy solid manhole covers with lighweight composite. Increment customization allows your choice of frame diameter and edge thicknes for a perfect fit into your existing frame. Choose your edge thickness and diameter to get started building your retro-fitted eplacement cover:

CUSTOMIZED EDGE THICKNESS



Diameter Range: 49 1/2" - 59"

CUSTOMIZED DIAMETER




Visit www.manholecoversdirect.com for full list of sizes and pricing, or to request a quote for additional options.

RFC ADAPTER SERIES
RFC40

ALL PURPOSE STEEL RETRO-FITTING ADAPTER FLANGE FRAME WITH REMOVABLE 39-1/4" FIBERGLASS COMPOSITE COVER. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 35MPH. IDEAL FOR GENERAL, AVERAGE VOLUME TRAFFIC APPLICATIONS SUCH AS PARKING LOTS, LOADING DOCKS, AREAS THAT EXPERIENCE HEAVY EQUIPMENT OR TRUCK TRAFFIC, ETC. NOT FOR HIGHWAY USE. PAINTED BLACK FINISH. MADE IN USA.


Designed to replace heavy solid manhole covers with lighweight composite. Increment customization allows your choice of frame diameter and edge thicknes for a perfect fit into your existing frame. Choose your edge thickness and diameter to get started building your retro-fitted eplacement cover:

CUSTOMIZED EDGE THICKNESS



Diameter Range: 44 1/2" - 49 ½"

CUSTOMIZED DIAMETER




Visit www.manholecoversdirect.com for full list of sizes and pricing, or to request a quote for additional options.

RFC ADAPTER SERIES
RFC31

ALL PURPOSE STEEL RETRO-FITTING ADAPTER FLANGE FRAME WITH REMOVABLE 27-1/8" FIBERGLASS COMPOSITE COVER. RATED FOR H-20 SINGLE POINT WHEEL LOADING FOR VEHICLE TRAFFIC UNDER 35MPH. IDEAL FOR GENERAL, AVERAGE VOLUME TRAFFIC APPLICATIONS SUCH AS PARKING LOTS, LOADING DOCKS, AREAS THAT EXPERIENCE HEAVY EQUIPMENT OR TRUCK TRAFFIC, ETC. NOT FOR HIGHWAY USE. PAINTED BLACK FINISH. MADE IN USA.


Designed to replace heavy solid manhole covers with lighweight composite. Increment customization allows your choice of frame diameter and edge thicknes for a perfect fit into your existing frame. Choose your edge thickness and diameter to get started building your retro-fitted eplacement cover:

CUSTOMIZED EDGE THICKNESS



Diameter Range: 35 ⅛" - 47 ¾"

CUSTOMIZED DIAMETER



Visit www.manholecoversdirect.com for full list of sizes and pricing, or to request a quote for additional options.